

11-07-00

A

11/06/00  
JC956 U.S. PRO

By Express Mail #EL690385793US

Attorney Docket No.: 4925-65

Check box if applicable: ☐ DUPLICATE

U.S. PRO  
09/707061  
11/06/00

## UTILITY PATENT APPLICATION TRANSMITTAL

*Submit an original and a duplicate for fee processing*

(Only for new nonprovisional applications under 37 C.F.R. § 1.53(b))

Assistant Commissioner for Patents  
BOX PATENT APPLICATION  
Washington, DC 20231

Dated: November 6, 2000

Sir:

Transmitted herewith for filing is the utility patent application of:

Inventor(s): Erno ZALKA

For: Automatic WAP Login

Enclosed are:

- Transmittal letter (2x) with Fee Computation Sheet
- General Authorization For Payment of Fees (2x)
- Title Page, Specification, Claims 1 to 13 & Abstract (13 pages [total number of pages of application])
- Unexecuted Declaration and Power of Attorney (2 p.)
- 5 sheet(s) of drawing(s) (Figs. 1 to 5)
- Check for \$ 710 for filing fee
- Return Receipt Postcard

☐ Please charge my Deposit Account No. 03-2412 in the amount of \$\_. A duplicate copy of this sheet is enclosed.

☒ The Commissioner is hereby authorized to charge payment of the following fees associated with this application or credit any overpayment to Deposit Acct. No. 03-2412.

☒ Any additional filing fees required under 37 CFR 1.16.

☒ Any patent application processing fees under 37 CFR 1.17

☒ The issue fee set in 37 CFR 1.18 at 3 months from mailing of the Notice of Allowance, pursuant to 37 CFR 1.311 (b) provided the fee has not already been paid by check.

By Express Mail #EL690385793US

☒ Any filing fees under 37 CFR 1.16 for presentation of extra claims.

☐ Priority is claimed for this invention and application, corresponding applications having been filed in on , No. , on , No. , on , No. , on , No. , on , No. , on , No. , respectively.

Respectfully submitted,  
COHEN, PONTANI, LIEBERMAN & PAVANE

By: \_\_\_\_\_



Michael C. Stuart  
Reg. No. 35,698

551 Fifth Avenue, Suite 1210  
New York, New York 10176  
Tel: (212) 687-2770  
Fax: (212) 972-5487

By Express Mail #EL690385793US

Attorney Docket No.: **4925-65**

## **FILING FEE COMPUTATION SHEET**

*Submit an original and a duplicate for fee processing*

Assistant Commissioner for Patents  
BOX PATENT APPLICATION  
Washington, DC 20231

Dated: November 6, 2000

**In re Application of: Erno ZALKA**  
**For: Automatic WAP Login**

The filing fee has been calculated as shown below:

FOR:	Col. 1	Col. 2	SMALL ENTITY	OTHER THAN SMALL ENTITY
	# FILED	# EXTRA		
BASIC FEE			<b>\$355</b>	<b>\$710</b>
TOTAL CLAIMS	<u>13</u> - 20 =		x 9 = \$	x 18 = \$
INDEPENDENT CLAIMS	<u>2</u> - 3 =		x 40 = \$	x 80 = \$
<input type="checkbox"/> MULTIPLE DEPENDENCY			+\$135 = \$	+ 270 \$
* If the difference in Col. 1 is less than zero, enter "0" in Col. 2			TOTAL: \$	\$ 710

By Express Mail # EL690385793US

**APPLICATION FOR UNITED STATES  
LETTERS PATENT**

**AUTOMATIC WAP LOGIN**

Inventor:

**Erno ZALKA**

## **BACKGROUND OF THE INVENTION**

### **1. Field of the Invention**

The present invention relates to servicing Wireless Application Protocol requests over a network, and particularly to automating the process of logging in to obtain such servicing.

### **2. Description of the Related Art**

As the use of wireless devices (wireless telephones, pagers, palmtop devices, etc.) has proliferated, and as the use of the Internet for obtaining data services through personal computers (PCs) has proliferated, users wish to have some measure of access to Internet data services through their wireless devices. A protocol called Wireless Application Protocol (WAP) has been developed by leaders of the telecommunications industry for interfacing wireless devices to Internet gateways. A language called Wireless Markup Language (WML) has similarly been developed for efficiently communicating Internet data to wireless devices.

Typically, a user subscribing to an Internet service, regardless of whether through a personal computer or a wireless device, "logs in" to a server providing a desired service. Logging in typically requires entry of a user name and an associated password. Entering these items on a PC, which typically has a full-size keyboard, is relatively easy. A wireless device, however, is typically much more limited in its data entry capabilities, and thus the entry of such textual items is more difficult.

There is thus a need to simplify logging in to network servers from wireless devices.

### **SUMMARY OF THE INVENTION**

An object of the present invention is to simplify logging in to network servers through wireless devices.

According to one aspect of the invention, a proxy is incorporated into a WAP gateway.

5 The proxy keeps a file in which it creates an entry containing the user's user-name/password pair each time each user first logs into a server or Internet website. On subsequent logins of that user to that server or website the corresponding user-name/password pair is retrieved in the proxy and forwarded to the server or website.

10 In another aspect of the invention, the retrieved user-name/password pair is displayed to the user for possible modification before forwarding to the server.

15 Other objects and features of the present invention will become apparent from the following detailed description considered in conjunction with the accompanying drawings. It is to be understood, however, that the drawings are designed solely for purposes of illustration and not as a definition of the limits of the invention, for which reference should be made to the appended claims. It should be further understood that the drawings are not necessarily drawn to scale and that, unless otherwise indicated, they are merely intended to conceptually illustrate the structures and procedures described herein.

**BRIEF DESCRIPTION OF THE DRAWINGS**

In the drawings, wherein like reference numerals denote similar elements:

Fig. 1 is a high-level block diagram of wireless clients connected to Internet servers according to the prior art;

5 Fig. 2 is a high-level block diagram of wireless clients connected to Internet servers according to the present invention;

Fig. 3 shows typical entries in the AutoLogin database shown in Fig. 2;

Fig. 4 is a flow chart of actions taking place in the AutoLogin proxy of Fig. 2 when a WML login page is passed from an Internet server to a wireless client; and

10 Fig. 5 is a flow chart of actions taking place in the AutoLogin proxy of Fig. 2 when a login request is passed from a wireless client to an Internet server.

## **DETAILED DESCRIPTION OF THE PRESENTLY PREFERRED EMBODIMENTS**

Fig. 1 is a high-level block diagram of pertinent portions of a system in which wireless clients may be served by Internet servers. Wireless clients 10 communicate with wireless telephone network 20 through which they communicate with one another, or with a WAP gateway 30. (There may be many WAP gateways 30, only one of which would be used by a particular wireless client 10 at a given time, and only one of which is shown.) WAP gateway 30 enables interfaces wireless clients 10 to data communications via Internet 40 from web servers 50.

When a wireless client 10 has contacted a server or Internet website 50, the wireless client 10 must typically log in to the server 50 by providing a user name and a password. Entry of the user name and password may be cumbersome or inconvenient on a wireless device which typically has limited data entry capabilities.

Fig. 2 illustrates the system with the addition of the present invention. Associated with each WAP gateway 30 is an AutoLogin Proxy 200 and an AutoLogin database 210, used by the invention to facilitate logging in to a server 50 from a wireless client 10.

Fig. 3 shows typical entries in AutoLogin database 210. For each wireless client (identified by a User ID, typically the telephone number) database 210 contains one record for each server 50 (identified by uniform resource locator (URL)) the user has logged in to. Included in each such record is the login-name/password pair used by the identified user to log in to the identified server. A user should use a different password for each server so that compromising of one password will not allow an intruder to enter other servers impersonating the user. Further, a user may have different user names, for a variety of reasons including the preservation of



anonymity at sensitive servers. For example, in Fig. 3, for the user whose phone number is 212.555.1212 it is possible to tentatively determine from his user name of "harry42" that his first name is "Harry" when he logs into servers "bigsite" or "greatsite". But when he logs into "paysex" he uses an anonymous user name that, though possibly descriptive of his traits, does not facilitate any guesses about his actual name.

Fig. 4 is a flowchart of actions pertinent to the present invention that take place in AutoLogin Proxy 200. By means known in the art, a user at a wireless client 10 initiates a request for content from a particular server; the request is passed through wireless network 20, WAP gateway 30, and Internet 40 to the requested (by URL) one of servers 50. Server 50 passes WML pages back toward wireless client 10, and enroute each WML page passes through WAP gateway 30 where the WML page is received into AutoLogin Proxy 200 as shown in block 400 of Fig. 4. Block 410 checks whether the page is a login page (a page on which the user is requested to provide the user-name/password pair). If the page is not a login page the present invention does not come into play relative to the page, and control dispatches to block 440 where the page is passed unchanged to wireless client 10. If the page is a login page, block 420 interrogates AutoLogin database 210 to determine whether the user (identified in the page by his User ID) has previously logged into the server which sent the page (identified in the page by URL).

If database 210 contains an entry for the identified user and the identified server, the username and password fields of the entry are filled in on the WML page by block 430. Control passes to block 440 which sends the page to the wireless client 10. (An alternative would be to return the page to the server 50 for login using the user-name/password pair retrieved from

database 210, but in the presently preferred embodiment the page is forwarded to the client for approval. If the client approves, he may simply enter a "go" indication indicating he wishes to log in using that user-name/password pair.)

Fig. 5 is a flowchart of actions in AutoLogin Proxy 200 when a login request originating from a wireless client 10 is being sent toward a server 50. The request is received at block 500 and block 510 determines whether it is a login request. At block 520 the request is checked as to whether it contains a user-name/password pair. If it does not, control passes to an unspecified path denoted as "A". For a wireless client 10 to return a login request without a user-name/password pair constitutes an operator error, the handling of which does not bear on the present invention and is a design choice.

At block 530, database 210 is interrogated as to whether database 210 contains a user-name/password pair for the present user and present URL. If not, or if the pair in database 210 is different from the pair contained in the present request as determined at block 540, the pair contained in the request is stored into database 210 in order to perform AutoLogin on subsequent occasions that the same user requests content from the same server. The request is then forwarded from block 560 to the server 50 where it will result in logging in the user. Subsequent pages sent back to the user from server 50 under the current login will not invoke the present invention, as they will cause block 410 to exit on the NO path. Similarly, subsequent requests from wireless client 10 under the current login will not invoke the present invention, as they will cause block 510 to exit on the NO path.

Thus, while there have been shown and described and pointed out fundamental novel features of the invention as applied to a preferred embodiment thereof, it will be understood that various omissions and substitutions and changes in the form and details of the devices illustrated, and in their operation, may be made by those skilled in the art without departing from the spirit of the invention. For example, it is expressly intended that all combinations of those elements and/or method steps which perform substantially the same function in substantially the same way to achieve the same results are within the scope of the invention. Moreover, it should be recognized that structures and/or elements and/or method steps shown and/or described in connection with any disclosed form or embodiment of the invention may be incorporated in any other disclosed or described or suggested form or embodiment as a general matter of design choice. It is the intention, therefore, to be limited only as indicated by the scope of the claims appended hereto.

## CLAIMS

What is claimed is:

- 1           1.     A method of logging users of mobile terminals in to wide-area network (WAN)  
2 servers in a system for connecting users at wireless terminals to WAN servers via a wireless  
3 telephone network connected to a WAN gateway, comprising the steps of:  
4           (a) determining in the gateway whether a particular user has previously logged in to a  
5           particular server,  
6           (b) and if the particular user has not previously logged in to the particular server:  
7               (b1) storing in the gateway login information provided by the particular user for  
8               logging the particular user in to the particular server; and  
9               (b2) forwarding the login information provided by the particular user to the  
10              particular server;  
11           (c) and if the particular user has previously logged in to the particular server:  
12               (c1) retrieving in the gateway stored login information provided by the particular  
13               user for logging the particular user in to the particular server; and  
14               (c2) forwarding the retrieved login information to the particular server.
- 1           2.     The method of claim 1 wherein the WAN is the Internet.

1           3.       The method of claim 1, wherein after step (c1) and before step (c2) are the  
2 steps:

3           (c1A) forwarding the retrieved login information to the particular user's wireless  
4 terminal for possible modification by the user; and

5           (c1B) returning the retrieved login information from the wireless terminal to the  
6 gateway.

1           4.       The method of claim 1 wherein said login information comprises a user name and  
2 a password.

1           5.       The method of claim 1 wherein a user is identified according to a telephone  
2 number of said user's mobile terminal.

1           6.       The method of claim 2 wherein a server is identified according to its uniform  
2 resource locator (URL).

1           7.       Apparatus for logging users of mobile terminals in to wide-area network (WAN)  
2 servers in a system for connecting users at wireless terminals to WAN servers via a wireless  
3 telephone network connected to a WAN gateway, comprising:

4 a data store in the gateway for storing, for each user, correlations of:

5 servers to which the user has logged in; and

6 login information with which the user has logged in to each server,

7 first logic in the gateway for receiving from a server a solicitation of login information for a  
8 particular user and for determining according to the data store whether the user has  
9 previously logged in to the server;  
10 second logic in the gateway conditioned by the first logic for forwarding to the user a  
11 solicitation of login information, for receiving solicited login information from the user, and  
12 for storing the login information in the data store if the first logic has determined that the user  
13 has not previously logged in to the server;  
14 third logic in the gateway conditioned by the first logic for retrieving login information from the  
15 data store if the first logic has determined that the user has previously logged in to the server;  
16 and  
17 fourth logic in the gateway for forwarding the login information to the server.

1 8. The apparatus of claim 7 wherein the WAN is the Internet.

1 9. The apparatus of claim 7, wherein further:  
2 the third logic forwards to the login information to the user for possible  
3 modification and accepts the login information back from the user regardless of whether modified.

1 10. The apparatus of claim 9, wherein further the third logic stores login information  
2 in the data store if modified by the user.

1 11. The apparatus of claim 7 wherein said login information comprises a user name  
2 and a password.

1           12.    The apparatus claim 7 wherein a user is identified according to a telephone number  
2   of said user's mobile terminal.

1           13.    The apparatus of claim 8 wherein a server is identified according to its uniform  
2   resource locator (URL).

**ABSTRACT OF THE DISCLOSURE**

A system for connecting wireless terminals to a WAP gateway and thence to the Internet for providing content to the wireless terminals from Internet web servers includes an AutoLogin proxy and an AutoLogin database associated with the WAP gateway. On an initial login of a particular terminal to a particular web server an entry is made in the AutoLogin database of the user identification, the server URL, and the user-name/password pair required for that user to log in to that server. On subsequent logins to the server the proxy retrieves the user-name/password pair from the database, thus freeing the user of the necessity to enter it for each login which might be cumbersome to do given the limited input facilities provided on wireless terminals.






Fig. 1 (Prior Art)




Fig. 2

User ID	Server URL	Login Name	Password
212.555.1212	www.bigsite.com	harry42	presto
212.555.1212	www.greatsite.com	harry42	opensesame
212.555.1212	www.paysex.com	lecher42	iloveporn
914.555.9999	www.bigsite.com	joesmith	rumpletiltskin



AutoLogin Database 210

Fig. 3




Fig. 4




Fig. 5

## DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

### AUTOMATIC WAP LOGIN

the specification of which is attached hereto.

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the patentability of this application in accordance with Title 37, Code of Federal Regulations, Section 1.56(a).

I also acknowledge the duty to disclose information which is material to the patentability of this application in accordance with Title 37 CFR 1.63(d), which occurred between the filing date of the prior application and the filing date of the continuation-in-part application, if this is a continuation-in-part application.

I hereby claim foreign priority benefits under Title 35, United States Code, Section 119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

**Prior Foreign Application:**

**Country:**

**Appln. No.:**

**Filed:**

I hereby appoint the following attorneys and/or agents to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith:

MYRON COHEN, Reg. No. 17,358; THOMAS C. PONTANI, Reg. No. 29,763; LANCE J. LIEBERMAN, Reg. No. 28,437; MARTIN B. PAVANE, Reg. No. 28,337; MICHAEL C. STUART, Reg. No. 35,698; KLAUS P. STOFFEL, Reg. No. 31,668; EDWARD M. WEISZ, Reg. No. 37,257; JULIA S. KIM, Reg. No. 36,567; VINCENT M. FAZZARI, Reg. No. 26,879; ALFRED W. FROEBRICH, Reg. No. 38,887; KENT H. CHENG, Reg. No. 33,849; GEORGE WANG, Reg. No. 41,419; TZVI HIRSHAUT, Reg. No. 38,732; GERALD J. CECHONY, Reg. No. 31,335; ROGER S. THOMPSON, Reg. No. 29,594; JOY I. FARBER, Reg. No. 44,103; and GEORGE J. BRANDT, JR., Reg. No. 22,021.

Address all telephone calls to Michael C. Stuart, Esq. at telephone No. (212) 687-2770.

Address all correspondence to:

Michael C. Stuart, Esq.  
Cohen, Pontani, Lieberman & Pavane  
551 Fifth Avenue, Suite 1210  
New York, New York 10176

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

**Full Name of Sole or First Inventor: Erno ZALKA**

Inventor's signature: \_\_\_\_\_

Dated: \_\_\_\_\_  
Month/Day/Year

Residence: **Szt. Istvan ut 20**  
**9022 Gyor, Hungary**

Citizenship:

Post Office Address: **Szt. Istvan ut 20**  
**9022 Gyor, Hungary**